

PR:O 10 XA



This remarkably versatile 10"/1" enclosure can serve as a satellite, a fullrange cabinet, and a low-profile wedge monitor. The Music/Speech knob adjusts its finely balanced and therefore feedback-resistant frequency response to suit the given application. All this and an onboard power amp make the PR:O 10 XA a very flexible sound reinforcement tool indeed.



PR:O 10 XA



Title	PREMIUM PR:O
Product Class	Active Systems
Model	PR:O 10 XA
Frequency response +/- 3 dB	89 Hz - 19 kHz
Frequency response -10 dB	67 Hz - 19 kHz
Maximum SPL, @ 10% THD	121 dB
Connections	1x XLR Combi Line In/Mic balanced,1x XLR Through balanced
LF Speaker	10"
HF Driver	1"
Horn characteristics	90° x 60° CD horn
Equalizer	Tone control
Subsonic filter	35 Hz
Peak limiter	yes
RMS-Soundlimiter	yes
HF protection (passive)	Dyn. protection circuit
Amplifier	600 W class D - 4 ohms
Parallel Speaker Out Min impedance 8 Ohm/300 Watt	1x Speakon
Pole mount	DuoTilt 3/7
Rigging points	3x M8
Handles	1, integrated
Enclosure	MDF
Grille	metal grille with acoustic foam
Finish	acrylic painture, black
Dimensions (WxHxD)	32 cm x 48 cm x 29 cm
Weight	13,9 kg / 30.6 lbs.



PR:O 10 XA



Protective Covers for all Cabinets



HK Audio Satellite Add-On M20 Speakon

A special accessory kit for deploying satellite speakers and subwoofers on M20 poles, the Satellite Add-On Package includes two aluminum mounting poles and two 3-metre long speaker cables for Speakon® connectors, all packed away neatly in a nylon carrying bag.